



- Common Paper PSA Label -

Pharmascript/TP41Q/WG80

PHYSICAL CHARACTERISTICS

Facestock

A matte-coated super-calendered woodfree printing paper. Suitable for print with all conventional printing processes.

Basis weight ISO 536 : 90 gsm
Caliper ISO 534 : 82 μm

Adhesive

A general purpose emulsion acrylic permanent adhesive, with excellent clarity and aging resistance. It has good tack to low surface energy substrates. This adhesive is compliant to US FDA CFR 175.105 (Adhesive) for indirect food contact. It is suitable for use in food packaging and processing labeling.

Minimum Application Temperature : +5°C
Product Functional Service Temperature: -20°C / +80°C

Liner

A super-calendered white glassine paper.

Basis weight ISO 536 : 80 gsm
Caliper ISO 534 : 69 μm

PERFORMANCE CHARACTERISTICS

Properties	Test Method	Typical values
Initial Tack on Glass	FINAT FTM9	15.0 N/25mm
Adhesion to Stainless Steel	FINAT FTM2	6.5 N/25mm (20mins)
Total Product Caliper	ISO 534	167 μm

Shelf life

1 year when stored at 22°C and 50% RH

The information given above are based on typical measured values; they are subject to technical changes and improvements without prior notice. It is the user's responsibility to check, prior to use, whether the product is suitable for the intended application.

Code: Y01042013
Rev00

