

Product: Raflatac Matt Laser (Jetlaser)

Category: Folio Papers - Self Adhesive

Country of origin: Poland

Technical specifications:

SELF-ADHESIVE	SHEETS
FACE	JETLASER HS
A4 Papers	CWY (sales code)
Product	Woodfree machine finished paper.
Use	Multifunctional information labelling, especially designed for ink jet (both single- and multicolour), lasers and photocopiers. Specially developed for medium and high volume laser printers.

Typical technical values

Substance	70	g/m ²	ISO 536	
Caliper	89	µm	ISO 534	
Tensile strength MD	5.5	kN/m	ISO 1924/1	
Tensile strength CD	2.3	kN/m	ISO 1924/1	
Brightness	98	%	ISO 2470/1	
Roughness	5.0	µm	ISO 8791	PPS 10
Opacity	92	%	ISO 2471	
Stiffness MD	0.28	mNm	ISO/DP 2493	
Stiffness CD	0.10	mNm	ISO/DP 2493	

Printability Ink jet, laser and copier: specially developed for medium and high volumes. Flexography, letterpress, offset and screenprint. Please note that conventional printing can compromise inkjet and laser overprintability.

Disclaimer The performance of the product should always be tested in the actual application conditions. Our recommendations are based on our most current knowledge and experience. As our products are used in conditions beyond our control, we cannot assume any liability for damage caused through their use. Users of our products are solely responsible that the product is suitable for its intended application, and have determined such at their sole discretion. Users must comply with any applicable legislation and/or testing requirements for the finished article, and are responsible for bringing their products to market.

This publication does not constitute any warranty, express or implied, and is intended only for the recipient and cannot therefore be transferred to any third party. We cannot assume any liability for the use of our products in conjunction with other materials.

All our products are sold subject to UPM Raflatac's general sales conditions, and you should ensure that any existing laws are observed.

This publication replaces all previous versions. All information is subject to change without notice.

Product: Raflatac Matt Laser (Jetlaser)

Category: Folio Papers - Adhesive Sheets

Country of origin: Poland

Technical specifications:

ADHESIVE	SPA3
Permanent	SPA3 (sales code)
Type	General permanent adhesive for sheets.
Composition	Modified acrylic dispersion.
Use	Designed for Sheets laminates in wide range of end-uses, specially for laser printer applications. Very good adhesion for general use with paper labels. Good heat resistance. Adhesive specially improved with non-bleeding properties on high speed printer lasers, for complete security 4-edges matrix stripping recommended.

Typical technical values

Tack min	10	N	FTM 9
Shear min	2	h	FTM 8
Labelling temperature min	5	°C	
Service temperature min	-10	°C	
Service temperature max	100	°C	

Limitations Should not be used in cold environments. Not recommended for labelling highly curved surfaces.

Shelf life From the date of manufacture 4 years in +20°C and RH50% .

Disclaimer The performance of the product should always be tested in the actual application conditions. Our recommendations are based on our most current knowledge and experience. As our products are used in conditions beyond our control, we cannot assume any liability for damage caused through their use. Users of our products are solely responsible that the product is suitable for its intended application, and have determined such at their sole discretion. Users must comply with any applicable legislation and/or testing requirements for the finished article, and are responsible for bringing their products to market.

This publication does not constitute any warranty, express or implied, and is intended only for the recipient and cannot therefore be transferred to any third party. We cannot assume any liability for the use of our products in conjunction with other materials.

All our products are sold subject to UPM Raflatac's general sales conditions, and you should ensure that any existing laws are observed.

This publication replaces all previous versions. All information is subject to change without notice.

Product: Raflatac Matt Laser (Jetlaser)

Category: Folio Papers - Adhesive Sheets

Country of origin: Poland

Technical specifications:

SELF-ADHESIVE

BACKING

Kraft

Product

Use

SHEETS

KRAFT SPECIAL 70

90 (sales code)

White woodfree kraft backing paper.

Designed for printers with printing speed higher than 50 ppm, e.g. on production printers, some workgroup laser printers and copiers.

Typical technical values

Substance	66	g/m ²	ISO 536
Caliper	69	µm	ISO 534
Tensile strength MD	5.6	kN/m	ISO 1924
Tensile strength CD	2.5	kN/m	ISO 1924

Disclaimer

The performance of the product should always be tested in the actual application conditions. Our recommendations are based on our most current knowledge and experience. As our products are used in conditions beyond our control, we cannot assume any liability for damage caused through their use. Users of our products are solely responsible that the product is suitable for its intended application, and have determined such at their sole discretion. Users must comply with any applicable legislation and/or testing requirements for the finished article, and are responsible for bringing their products to market.

This publication does not constitute any warranty, express or implied, and is intended only for the recipient and cannot therefore be transferred to any third party. We cannot assume any liability for the use of our products in conjunction with other materials.

All our products are sold subject to UPM Raflatac's general sales conditions, and you should ensure that any existing laws are observed.

This publication replaces all previous versions. All information is subject to change without notice.